


# PageSpeed Insights

## Mobile



65 / 100 Speed

Should Fix:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-112451091-2> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://frankfurt.services/0y0x0x0x00y0x0x0x00y0x0x00y0x0x0x0/images/testimonials-placeholder.png> (4 hours)
- <https://frankfurt.services/0y0x0x0x00y0x0x0x03e/js/jquery/jquery.js> (4 hours)
- [https://frankfurt.services/0y0x0x0x034/assets/images/flags/de\\_DE.png](https://frankfurt.services/0y0x0x0x034/assets/images/flags/de_DE.png) (4 hours)
- [https://frankfurt.services/0y0x0x0x034/assets/images/flags/en\\_US.png](https://frankfurt.services/0y0x0x0x034/assets/images/flags/en_US.png) (4 hours)

## Mobile

- <https://frankfurt.services/0y0x0x0x03ed/cache/min/1/668987ae92b47ede98b715df11264030.css> (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/cache/min/1/8a6a9f40292dbe7e96e8cad04305500c.js> (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/plugins/revslider/public/assets/assets/loader.gif> (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/themes/betheme/images/stripes/textline.png> (4 hours)
- <https://frankfurt.services/34g550y0y0y00y0x0x0x0/css/print.css> (4 hours)
- <https://frankfurt.services/meineristva/2019/05/ffm2.jpg> (4 hours)
- <https://frankfurt.services/meineristva/revslider/home2/s1-mobi.png> (4 hours)
- <https://frankfurt.services/meineristva/revslider/home2/s1-pc.png> (4 hours)
- <https://frankfurt.services/meineristva/revslider/home2/s1-tablet.png> (4 hours)
- <https://frankfurt.services/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js> (2 days)

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <https://frankfurt.services/0y0x0x0x00y0x0x0x03e/js/jquery/jquery.js>
- <https://frankfurt.services/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js>

## Consider Fixing:

# Mobile

## Reduce server response time

In our test, your server responded in 0.26 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 94.8KiB (39% reduction).

- Compressing <https://frankfurt.services/meineristva/2019/05/ffm2.jpg> could save 37.9KiB (21% reduction).
- Compressing <https://frankfurt.services/meineristva/revslider/home2/s1-mobi.png> could save 18.7KiB (95% reduction).
- Compressing <https://frankfurt.services/meineristva/revslider/home2/s1-tablet.png> could save 18.6KiB (92% reduction).
- Compressing <https://frankfurt.services/meineristva/revslider/home2/s1-pc.png> could save 18.6KiB (91% reduction).
- Compressing <https://frankfurt.services/0y0x0x0x03ed/themes/betheme/images/stripes/textline.png> could save 854B (73% reduction).
- Compressing [https://frankfurt.services/0y0x0x0x034/assets/images/flags/en\\_US.png](https://frankfurt.services/0y0x0x0x034/assets/images/flags/en_US.png) could save 107B (22% reduction).

## Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

## Mobile

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 69% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: snapshot:3



### 5 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

#### Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

# Mobile

## Consider Fixing:

### Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<a href="callto:lovre.crncevic"></a>` and 2 others are close to other tap targets final.
- The tap target `<a href="callto:lovre.crncevic"></a>` and 3 others are close to other tap targets final.
- The tap target `<div id="slide-5-layer-4" class="tp-caption tp-resizeme"></div>` is close to 2 other tap targets final.
- The tap target `<div id="slide-5-layer-4" class="tp-caption tp-resizeme"></div>` and 1 others are close to other tap targets final.
- The tap target `<div id="slide-5-layer-5" class="tp-caption tp-resizeme"></div>` is close to 2 other tap targets final.
- The tap target `<div id="slide-5-layer-7" class="tp-caption med...tp-resizeme">MEIN NAME IST LOVRE</div>` is close to 4 other tap targets final.
- The tap target `<div id="slide-5-layer-7" class="tp-caption med...tp-resizeme">MEIN NAME IST LOVRE</div>` is close to 4 other tap targets final.
- The tap target `<div id="slide-5-layer-8" class="tp-caption lar...tp-resizeme">ICH BIN</div>` is close to 6 other tap targets final.
- The tap target `<div id="slide-5-layer-8" class="tp-caption lar...tp-resizeme">ICH BIN</div>` is close to 6 other tap targets final.
- The tap target `<div id="slide-5-layer-9" class="tp-caption lar...tp-resizeme">WEBENTWICKLER</div>` is close to 3 other tap targets final.
- The tap target `<div id="slide-5-layer-9" class="tp-caption lar...tp-resizeme">WEBENTWICKLER</div>` is close to 1 other tap targets final.
- The tap target `<div id="slide-5-layer-10" class="tp-caption med...tp-resizeme">Finden Sie Ihren Platz im Web</div>` is close to 3 other tap targets final.
- The tap target `<div id="slide-5-layer-10" class="tp-caption med...tp-resizeme">Finden Sie Ihren Platz im Web</div>` is close to 4 other tap targets final.

## Mobile

- The tap target `<a href="https://frankf....services/agb/">AGB</a>` and 6 others are close to other tap targets.



### 4 Passed Rules

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

#### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop

## Desktop



82 / 100 Speed

! Consider Fixing:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.googletagmanager.com/gtag/js?id=UA-112451091-2> (15 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://frankfurt.services/0y0x0x0x00y0x0x0x00y0x0x0x00y0x0x0x0/images/testimonials-placeholder.png> (4 hours)
- <https://frankfurt.services/0y0x0x0x00y0x0x0x03e/js/jquery/jquery.js> (4 hours)
- [https://frankfurt.services/0y0x0x0x034/assets/images/flags/de\\_DE.png](https://frankfurt.services/0y0x0x0x034/assets/images/flags/de_DE.png) (4 hours)
- [https://frankfurt.services/0y0x0x0x034/assets/images/flags/en\\_US.png](https://frankfurt.services/0y0x0x0x034/assets/images/flags/en_US.png) (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/cache/min/1/668987ae92b47ede98b715df11264030.css> (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/cache/min/1/8a6a9f40292dbe7e96e8cad04305500c.js> (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/plugins/revslider/public/assets/assets/loader.gif> (4 hours)
- [https://frankfurt.services/0y0x0x0x03ed/themes/betheme/images/box\\_shadow.png](https://frankfurt.services/0y0x0x0x03ed/themes/betheme/images/box_shadow.png) (4 hours)
- <https://frankfurt.services/0y0x0x0x03ed/themes/betheme/images/stripes/textline.png> (4 hours)

## Desktop

- <https://frankfurt.services/34g550y0y0y00y0x0x0x0/css/print.css> (4 hours)
- <https://frankfurt.services/meineristva/2019/05/ffm2.jpg> (4 hours)
- <https://frankfurt.services/meineristva/revslider/home2/s1-mobi.png> (4 hours)
- <https://frankfurt.services/meineristva/revslider/home2/s1-pc.png> (4 hours)
- <https://frankfurt.services/meineristva/revslider/home2/s1-tablet.png> (4 hours)
- <https://frankfurt.services/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js> (2 days)

## Reduce server response time

In our test, your server responded in 0.26 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking script resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Remove render-blocking JavaScript:](#)

- <https://frankfurt.services/0y0x0x0x00y0x0x0x03e/js/jquery/jquery.js>

## Optimize images



## Desktop

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 94.8KiB (39% reduction).

- Compressing <https://frankfurt.services/meineristva/2019/05/ffm2.jpg> could save 37.9KiB (21% reduction).
- Compressing <https://frankfurt.services/meineristva/revslider/home2/s1-mobi.png> could save 18.7KiB (95% reduction).
- Compressing <https://frankfurt.services/meineristva/revslider/home2/s1-tablet.png> could save 18.6KiB (92% reduction).
- Compressing <https://frankfurt.services/meineristva/revslider/home2/s1-pc.png> could save 18.6KiB (91% reduction).
- Compressing <https://frankfurt.services/0y0x0x0x03ed/themes/betheme/images/stripes/textline.png> could save 854B (73% reduction).
- Compressing [https://frankfurt.services/0y0x0x0x034/assets/images/flags/en\\_US.png](https://frankfurt.services/0y0x0x0x034/assets/images/flags/en_US.png) could save 107B (22% reduction).



### 6 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

# Desktop

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## Minify JavaScript

Your JavaScript content is minified. Learn more about [minifying JavaScript](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).