

# PageSpeed Insights

Mobile



## Innomatics Research Labs - Best Software Training Center in Hyderabad

Innomatics Research Labs is one of the top growing institute in Hyderabad who aims at catering students with various job oriented courses like **Advanced Data Science, Python, Machine Learning, Artificial Intelligence (AI), Big data Analytics, Amazon Web Services**  **DevOps, Digital Marketing and Investment Banking** Bagging an experience of

**76 / 100** Speed

 Consider Fixing:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.innomatics.in/> (expiration not specified)
- <https://www.googletagmanager.com/gtm.js?id=GTM-NNL4VQ9> (15 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <https://connect.facebook.net/signals/config/267899574151410?v=2.9.14&r=stable> (20 minutes)
- <https://salesiq.zoho.in/widget> (25.6 minutes)
- <https://maps.googleapis.com/maps/api/js?ver=v3> (30 minutes)

## Mobile

- <https://clientcdn.pushengage.com/core/81413e2f27eb76cb591228d7211e9682.js?ver=5.3> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://sjs.bizographics.com/insight.min.js> (4.4 hours)
- <https://www.innomatics.in/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js> (2 days)

## Reduce server response time

In our test, your server responded in 0.82 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 295B (22% reduction).

- Minifying <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/fitvids.js?ver=1.1.0> could save 174B (20% reduction) after compression.
- Minifying <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/matchmedia.js?ver=1.0.0> could save 121B (26% reduction) after compression.

Eliminate render-blocking JavaScript and CSS in above-the-fold content

## Mobile

Your page has 5 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <https://www.innomatics.in/wp-includes/js/jquery/jquery.js?ver=1.12.4-wp>
- <https://www.innomatics.in/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://www.innomatics.in/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.6.3>
- <https://www.innomatics.in/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.6.3>
- <https://maps.googleapis.com/maps/api/js?ver=v3>

### [Optimize CSS Delivery](#) of the following:

- <https://www.innomatics.in/>
- [https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize\\_ea4ddd70d0be52c851b5eb97b8971b36.css](https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize_ea4ddd70d0be52c851b5eb97b8971b36.css)
- <https://fonts.googleapis.com/css?family=Roboto%3A100%2C200%2C300%2C400%2C500%2C600%2C700%2C800%2C900%2C900%2C100italic%2C200italic%2C300italic%2C400italic%2C500italic%2C600italic%2C700italic%2C800italic%2C900italic&subset=latin&ver=5.3>
- [https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize\\_single\\_0798b42e7990ccd940b36b0115be7235.css?generated=1574507759&ver=1.8.14](https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize_single_0798b42e7990ccd940b36b0115be7235.css?generated=1574507759&ver=1.8.14)
- <https://fonts.googleapis.com/css?family=Raleway:500|Montserrat:100>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 63.7KiB (44% reduction).

- Compressing <https://www.innomatics.in/wp-content/uploads/2019/11/Untitled-1-01-1024x373.jpg> could save 48.6KiB (46% reduction).

- Compressing <https://www.innomatics.in/wp-content/uploads/2019/06/Innomatics-Research-Labs-Retina-Logo-Best-Big-Data-Course-training-institute-in-Kukatpally-Hyderabad-India.png> could save 9.1KiB (36% reduction).
- Compressing <https://www.innomatics.in/wp-content/uploads/2019/06/Innomatics-Research-Labs-Logo-Data-Science-training-institutue-in-kukatpally-Hyderabad-India.png> could save 5.9KiB (45% reduction).



### 5 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

#### Minify CSS

Your CSS is minified. Learn more about [minifying CSS](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

# Mobile



## 5 Passed Rules

### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

### Size content to viewport

The contents of your page fit within the viewport. Learn more about [sizing content to the viewport](#).

### Size tap targets appropriately

All of your page's links/buttons are large enough for a user to easily tap on a touchscreen. Learn more about [sizing tap targets appropriately](#).

### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

# Desktop

## Desktop



82 / 100 Speed

! Consider Fixing:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://www.innomatics.in/> (expiration not specified)
- <https://salesiq.zoho.in/widget> (12.6 minutes)
- <https://www.googletagmanager.com/gtm.js?id=GTM-NNL4VQ9> (15 minutes)
- [https://connect.facebook.net/en\\_US/fbevents.js](https://connect.facebook.net/en_US/fbevents.js) (20 minutes)
- <https://connect.facebook.net/signals/config/267899574151410?v=2.9.14&r=stable> (20 minutes)
- <https://maps.googleapis.com/maps/api/js?ver=v3> (30 minutes)
- <https://clientcdn.pushengage.com/core/81413e2f27eb76cb591228d7211e9682.js?ver=5.3> (60 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://sjs.bizographics.com/insight.min.js> (4.4 hours)
- <https://www.innomatics.in/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js> (2 days)

### Reduce server response time

In our test, your server responded in 0.87 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

### Minify HTML

Compacting HTML code, including any inline JavaScript and CSS contained in it, can save many bytes of data and speed up download and parse times.

[Minify HTML](#) for the following resources to reduce their size by 171B (11% reduction).

- Minifying [https://widget.getbutton.io/widget/wSendButton?whatsapp=919951666670&position=left&ga=false&branding=true&mobile=true&desktop=true&shift\\_vertical=0&shift\\_horizontal=0&domain=null&key=null&button\\_color=%23ff6550&parentWrapperId=wh-widget-send-button&clientHostname=www.innomatics.in&showHelloPopup=1&isMobile=0](https://widget.getbutton.io/widget/wSendButton?whatsapp=919951666670&position=left&ga=false&branding=true&mobile=true&desktop=true&shift_vertical=0&shift_horizontal=0&domain=null&key=null&button_color=%23ff6550&parentWrapperId=wh-widget-send-button&clientHostname=www.innomatics.in&showHelloPopup=1&isMobile=0) could save 171B (11% reduction) after compression.

### Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 295B (22% reduction).

- Minifying <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/fitvids.js?ver=1.1.0> could save 174B (20% reduction) after compression.
- Minifying <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/matchmedia.js?ver=1.0.0> could save 121B (26% reduction) after compression.

### Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 24 blocking script resources and 5 blocking CSS resources. This causes a delay in rendering your page.

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

#### [Remove render-blocking JavaScript:](#)

- <https://www.innomatics.in/wp-includes/js/jquery/jquery.js?ver=1.12.4-wp>
- <https://www.innomatics.in/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>
- <https://www.innomatics.in/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.tools.min.js?ver=5.4.6.3>
- <https://www.innomatics.in/wp-content/plugins/revslider/public/assets/js/jquery.themepunch.revolution.min.js?ver=5.4.6.3>
- <https://maps.googleapis.com/maps/api/js?ver=v3>
- <https://www.innomatics.in/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js>
- <https://www.innomatics.in/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.1.6>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/html5shiv.js?ver=3.7.3>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/respond.js?ver=1.3.0>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/matchmedia.js?ver=1.0.0>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/easing.js?ver=1.3.0>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/fitvids.js?ver=1.1.0>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/animstition.js?ver=4.0.1>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/slick.js?ver=1.6.0>
- <https://www.innomatics.in/wp-content/themes/fundrize/assets/js/main.js?ver=1.0.0>
- <https://www.innomatics.in/wp-content/plugins/strong-testimonials/public/js/controller.min.js?ver=2.40.0>
- <https://www.innomatics.in/wp-includes/js/jquery/ui/core.min.js?ver=1.11.4>

## Desktop

- <https://www.innomatics.in/wp-includes/js/jquery/ui/position.min.js?ver=1.11.4>
- <https://www.innomatics.in/wp-content/uploads/9e3b11433628e90c8d28b1059f5f820a.js?defer&generated=1574507863&ver=1.8.14>
- [https://www.innomatics.in/wp-content/plugins/WPRT\\_VC\\_Addons/assets/waypoints.js?ver=2.0.4](https://www.innomatics.in/wp-content/plugins/WPRT_VC_Addons/assets/waypoints.js?ver=2.0.4)
- [https://www.innomatics.in/wp-content/plugins/WPRT\\_VC\\_Addons/assets/shortcodes.js?ver=1.0](https://www.innomatics.in/wp-content/plugins/WPRT_VC_Addons/assets/shortcodes.js?ver=1.0)
- <https://www.innomatics.in/wp-includes/js/wp-embed.min.js?ver=5.3>
- [https://www.innomatics.in/wp-content/plugins/js\\_composer/assets/js/dist/js\\_composer\\_front.min.js?ver=5.4.7](https://www.innomatics.in/wp-content/plugins/js_composer/assets/js/dist/js_composer_front.min.js?ver=5.4.7)
- [https://www.innomatics.in/wp-content/plugins/WPRT\\_VC\\_Addons/assets/owl.carousel.min.js?ver=2.2.1](https://www.innomatics.in/wp-content/plugins/WPRT_VC_Addons/assets/owl.carousel.min.js?ver=2.2.1)

[Optimize CSS Delivery](#) of the following:

- <https://www.innomatics.in/>
- [https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize\\_ea4ddd70d0be52c851b5eb97b8971b36.css](https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize_ea4ddd70d0be52c851b5eb97b8971b36.css)
- <https://fonts.googleapis.com/css?family=Roboto%3A100%2C200%2C300%2C400%2C500%2C600%2C700%2C800%2C900%2C900%2C100italic%2C200italic%2C300italic%2C400italic%2C500italic%2C600italic%2C700italic%2C800italic%2C900italic&subset=latin&ver=5.3>
- [https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize\\_single\\_0798b42e7990ccd940b36b0115be7235.css?generated=1574507759&ver=1.8.14](https://www.innomatics.in/wp-content/cache/autoptimize/css/autoptimize_single_0798b42e7990ccd940b36b0115be7235.css?generated=1574507759&ver=1.8.14)
- <https://fonts.googleapis.com/css?family=Raleway:500|Montserrat:100>

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 56.8KiB (46% reduction).

- Compressing <https://www.innomatics.in/wp-content/uploads/2019/11/Untitled-1-01-1024x373.jpg> could save 48.6KiB (46% reduction).
- Compressing <https://www.innomatics.in/wp-content/uploads/2019/06/Innomatics-Research-Labs-Logo-Data-Science-training-institutue-in-kukatpally-Hyderabad-India.png> could save

## Desktop

5.9KiB (45% reduction).

- Compressing [https://www.innomatics.in/wp-content/plugins/WPRT\\_VC\\_Addons/assets/arrow-next.png](https://www.innomatics.in/wp-content/plugins/WPRT_VC_Addons/assets/arrow-next.png) could save 1.1KiB (75% reduction).
- Compressing [https://www.innomatics.in/wp-content/plugins/WPRT\\_VC\\_Addons/assets/arrow-prev.png](https://www.innomatics.in/wp-content/plugins/WPRT_VC_Addons/assets/arrow-prev.png) could save 1.1KiB (73% reduction).

### Prioritize visible content

Your page requires additional network round trips to render the above-the-fold content. For best performance, reduce the amount of HTML needed to render above-the-fold content.

The entire HTML response was not sufficient to render the above-the-fold content. This usually indicates that additional resources, loaded after HTML parsing, were required to render above-the-fold content. [Prioritize visible content](#) that is needed for rendering above-the-fold by including it directly in the HTML response.

- Only about 18% of the final above-the-fold content could be rendered with the full HTML response.
- Click to see the screenshot with only the HTML response: [snapshot:30](#)



3 Passed Rules

### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

### Enable compression

You have compression enabled. Learn more about [enabling compression](#).

### Minify CSS

Desktop

Your CSS is minified. Learn more about [minifying CSS](#).